Index for Volume 75 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Abad, G., 750
Abawi, G. S., 855, 1208, 1212
Abbott, J. A., 620
Abdalla, O. A., 1019
Abelmoschus moschatus, leaf spot and blight, bacterial cause, 424
Abney, T. S., 585
Abutilon theophrasti, *Sclerotinia sclerotiorum* on, new host, 863
Acremonium spp.
—*A. coenophialum*: on tall fescue, rust relation, 883; on tall fescue, survival in animal digestive tract, 776
—*A. typhinum*, on beachgrass, first report as endophyte, 537
Actinidia chinensis, Phytophthora root rot of, in Chile, 949, (950, 951)
Afek, U., 665
Ageratum houstonianum, pollen as vector for tobacco streak virus, 450
Agostini, J. P., 296
Agrobacterium tumefaciens, on muscadine grape, isolate characterization, 634, (635)
Aguiero, V. M., 926
Ahmad, I., 537
Akem, C. N., 537
Albertini, L., 703
Albugo candida, on mustard, cover photo, December
Alderman, S. C., 1038, 1172
Aldrich, J. H., 767
Alfalfa
—*Aphanomyces euteiches* on, in Quebec, 319
—crown rot of, *Fusarium*, in Nevada, 51, (52, 54)
—Pythium seedling and rootlet disease, 691
—Sclerotinia crown and stem rot: burning to reduce sclerotia, 141; differential response, 188, (189)
—Verticillium wilt, methods for evaluation, 82
Alexander, J. H., III, 1227
Ali-Shtayeh, M. S., 305
Allen, S. J., 43
Allen, W. R., 78
Alnus incana, stem canker, in Oregon, 1286
Alston, D. G., 1016
Alternaria spp.
—*A. brassicicola*, on cabbage, progress and yield loss, 269
—*A. cucumerina*: on muskmelon, fungicide retention in greenhouse, 1013; on muskmelon, leaf miner feeding activity effect, 938, (940)
—*A. infectoria*, on guayule, blossom blight caused by, 748
—*A. mali*, on apple, distribution in North Carolina, 1045, (1046)
—*A. passiflorae*, on passion fruit, first report in Florida, 319
—*A. solani*: on greenhouse tomato, control with vinyl film, 795; on potato, cover photo, July; on potato, disease assessment, 353; on potato, leaf disk assay for detection, 385; on tomato, chlamydospore importance, 274
Alvarez, C., 949
Alysicarpus vaginalis, blackeye cowpea mosaic virus on, host range and transmission, 251
American Phytopathological Society, annual meeting exhibitors, 654
Ammophila breviligulata, endophyte reported, 537
Amphobotrys ricini, on spurge, in Oklahoma, 750
Anagnostakis, S. L, 918
Anand, S. C., 301, 594
Andersen, C. R., 751
Andersen, P. C., 767
Anderson, J. A., 156
Ansa, O. A., 1269
Antibiotics
—streptomycin, bacterial resistance genes, on apple, 1110
—streptomycin and oxytetracycline, for fire blight of pear, 287
Aphanomyces euteiches
—on alfalfa, novel in Quebec, 319
—host resistance, variability in virulence, 1153
—on pea, biocontrol with bacterial seed application, 987
Apple
—Alternaria leaf spot, distribution in North Carolina, 1045, (1046)
—bacteria on, streptomycin resistance, 1110
—black rot and white rot cankers, in Pennsylvania, 968
—blister spot, streptomycin-resistant isolates, 529
—crown and root rot of, fungicide and bacterial relations, 406
—Penicillium storage rot of, benzimidazole resistance in packinghouses, 712
—Phytophthora root and crown rot, first report in Pakistan, 537
—postharvest calcium treatment, 620
—scab, ascospore efficiency in lesion production, 918, (919)
—sooty blotch and flyspeck on fruit of, chlorine dip for, 742
—white rot, temperature and moisture effect on spore germination, 1146
Apple and pear, postharvest diseases, control with pyrrolnitrin, 490
Arabi, M. I., 703
Arachis pintoi, potyviruses of, natural infection, 1090, (1091, 1092)
Arauz, L. F., 1146
Arceuthobium spp.
—*A. occidentale*, on digger pine, cover photo, July
—*A. tsugense*: on western hemlock, cover photo, April; on western hemlock, spread and intensification, 363
Armillaria mellea, hosts of, previously unreported, 101
Arnaud-Santana, E., 952
Arnold, W. E., 342
Arny, D. C., 82
Arroyave, J., 1090
Artocarpus altilis, rust of, in Hawaii, 968
Artopeadis, M. C., 101
Ascochyta spp.
—*A. fabae*, on fava beans, host resistance and race identification, 852
—*A. rabiei*, on chickpea, virulence forms, 904
Ash
—white: mycoplasmalike organism on, necrosis and histology, 814, (815-817); radial growth and ash yellows, 18
—yellows of: decline in forest stands, 13; lilac witches'-broom relation, 1227
Aslam, M., 537
Asparagus
—Phytophthora rot, flooding and metalaxyl effect, 514
—virus I and II in Delaware, 1075
Asparagus virus 2, in southern Ontario, 430
Aspergillus spp.
—*A. flavus*, on corn kernels, individual infection, 910
—*A. fumigatus*, on sugar beet, storage rot, 751
Aster, carlavirus from, characterization, 421, (423)
Atmatjidou, V. P., 1261
Averre, C. W., 750
Avocado, Phytophthora root rot of, resistance evaluation, 118
Awuah, R. T., 123
Aylor, D. E., 918
Azad, H. R., 101
Azalea, *Phytophthora cinnamomi* on roots, detection with serological kits, 478
Azevedo, M. D., 883
Azzam, O. I., 960

Bachi, P. R., 862
Bacillus subtilis, on peanut, seed treatment, factors, 347
Backman, P. A., 347
Bailey, J. E., 1077
Baird, R. E., 1180
Baker, C. A., 130
Baker, F. A., 788
Ball, E. M., 497
Baltensperger, D. D., 251
Bandyopadhyay, R., 778
Barkai-Golan, R., 1085
Barker, K. R., 1074
Barker, R. E., 883
Barksdale, T. H., 398
Barley (see also Cereals)
—net blotch: incomplete resistance and yield loss, 96; resistance measurement, technique for, 703; in South Carolina, 537
—scald, pathogenic variation in Ontario, 934
Barley yellow dwarf virus
—on cereals, alternative hosts in Spain, 930
—on spring oat, root growth effect, 143
—on winter wheat, in New York, 1105
Barley yellow streak mosaic virus, transmission, purification, and chemical analysis, 839, (840, 841)
Barnard, E. L., 823
Barnes, L. W., 138
Barnett, O. W., 73
Barrault, G., 703
Bartz, J. A., 152, 269
Baudin, P., 27
Bausher, M. G., 447
Bauske, E. M., 143
Bazzigher, G., 5
Bean common mosaic virus
—on bean, nucleic acid hybridization probes for differentiation, 336, (338)
—strain in Idaho seed fields, 537
Beaver, R. W., 834, 1180
Beck, B., 638
Beet, table, *Erwinia herbicola* from, tumorigenic strains, 855, (856)
Beghdadi, A., 319
Begonia, bacterial leaf spot and blight, irrigation and dissemination, 1261
Behl, H. M., 748
Belanger, R. R., 820
Bell, D. K., 878, 1186
Bell, R., 572
Bellardi, M. G., 862
Bemisia spp., on squash, silverleaf induction, 862
—*B. tabaci*: on sweet potato, cucumber mosaic virus vector, 291; sweet potato geminivirus vector, in Florida, 1186
Bemisia whitefly, on squash, silverleaf induction, 862
Beniowskia sphaeroidea, on grass in Zimbabwe, host range, 215
Ben-Moshe, H., 638
Bennett, A. R., 499
Bennetzen, J. L., 1130
Benson, B. L., 514
Benson, D. M., 394, 478
Ben-Yephet, Y., 1123
Berggren, G. T., 809
Bergstrom, G. C., 1105
Berner, D. K., 809
Bernier, C. C., 121, 852
Bertaccini, A., 862

Bertrand, P. F., 483, 1186
Betelvine, leaf blight of, cover photo, July
Bettini, P., 941
Bhattiprolu, S. L., 1068
Biles, C. L., 874
Bin, L., 466
Biological control
—chestnut blight with transmissible hypovirulence, 656
—*Colletotrichum* for hemp sesbania, 62
—leafy spurge, by fungi, 1201
—pea root rot with *Pseudomonas* spp. on seed, 987
—*Phomopsis convolvulus* on field bindweed, mycoherbicide, 1175
—potato spindle tuber viroid by virus-satellite combination, 319
—soilborne diseases with potting mixes, suppressive, 869
—*Trichoderma harzianum* for *Sclerotinia sclerotiorum*, 466
—turfgrass dollar spot by *Enterobacter cloacae*, 510
Bipolaris oryzae, on rice, calcium silicate effect, 729
Biris, D. A., 557
Bistline, F. W., 145
Black, L. L., 431, 863
Blackeye cowpea mosaic virus
—on alyce-clover, purification, 254
—alyce-clover isolate, cytology and transmission, 251, (252)
Blackwell, M., 1254
Blazquez, C. H., 370
Blumeria graminis, on oats, epidemic and resistance, 807
Boehm, M. J., 869
Bolat, N., 563
Bolkan, H. A., 383
Bollich, C. N., 773
Bongers, A. J., 1098
Bonman, J. M., 462
Boscia, D., 1249
Bosland, P. W., 1048
Botryosphaeria spp., on apple, black and white rots, in Pennsylvania, 968
—*B. dothidea*, on apple, temperature and moisture effect on spore germination, 1146
—*B. ribis*, on mango, symptoms in Florida, 315, (317)
Botrytis cinerea
—on geranium: airborne conidia and factors, 798; factors, 1168, 1236
—on grape, cover photo, August
—on pistachio: cultivar susceptibility, 410, (412, 414); shoot canker, cover photo, April
Boucher, A., 184
Bougainvillea
—bacterial leaf spot: cover photo, September; in Florida, 968
Bournival, B. L., 281
Bové, J. M., 546
Bowen, K., 1143
Boyette, C. D., 62
Bozard, B. T., 863
Bradley, J. R., Jr., 1016
Brandenberger, L. P., 630
Brassica spp.
—leaf spot control with fungicides, 878
—*Leptosphaeria maculans*, pathogenicity groups, 1279, (1280)
Bray, R. A., 430
Brenneman, T. B., 319, 699, 863, 878, 999
Broccoli, bacterial soft rot, resistance, 715
Brodbeck, B. V., 767
Brown, C. S., 424
Bruckart, W. L., 499
Bruckner, P. L., 807
Bruton, B. D., 180, 620, 1133
Burleigh, J. R., 65
Burr, T. J., 855
Bus, V. G., 1098
Bush, P. A., 878
Bussey, M. J., 385
Cabbage
—dark leaf spot of, progress and yield loss, 269
—downy mildew of, resistance to, 10
Cacao, *Crinipellis perniciosa* on, infection biology, 552, (554)
Cajanus cajan, Phytophthora blight, weed effect, 1230
Caldwell, C., 784
Calonectria crotalariae, on soybean, glyphosate effects, 809
Cameron, A. C., 943
Campbell, C. L., 537
Campbell, K. W., 1186
Canaday, C. H., 715, 969
Canola, *Sclerotinia sclerotiorum* on, pathogen on peanut, 319
Cantaloup (see also Muskmelon)
—brown spot of, cover photo, February
—postharvest disease, bacterial cause, 180
Capsicum spp. (see also Pepper)
—*C. annuum*: Phytophthora root rot, seedling screen, 1048, (1049); tobamoviruses on, in Taiwan, 1186; vesicular-arbuscular mycorrhizae of, soil solarization and metalaxyl interaction, 665
—*C. chinense*, tomato spotted wilt virus resistance in, 863
Carey, W. A., 431
Carroll, R. B., 1074, 1186
Carroll, T. W., 839
Carrot
—cavity spot, factors, 519
—storage rot, chemical treatments, 470
—yellows in, characterization of isolates in Oklahoma, 579
Carrot thin leaf virus, identification in California, 319
Carson, M. L., 342, 863, 968, 1150
Casper, D. H. 1127
Castaño, M., 1090
Castello, J. D., 13, 18
Castle, W. S., 296
Celery
—Fusarium wilt, resistance to race 2, somaclonal variation, 1034
—Fusarium yellows of, methyl bromide and steam for control, 123
Cenchrus ciliaris, ergot of, triadimefon for control, 627
Centaurea spp.
—*C. repens*, rust of, 1075
—*C. solstitalis*, rust of, factors, 499
Ceratocystis fimbriata, on almond, pruning and bark wound effect, 1026
Cercospora sorghi, on sorghum, development in Burkina Faso, 45
Cercosporidium personatum, on peanut, tebuconazole effect on, 699
Cereals (see also Barley, Oats, and Wheat)
—cultivar performance and disease impact, in Morocco, 65
—*Fusarium* spp. on seed of, factors, 784
Cerkauskas, R. F., 101, 430
Cervantes, L. A., 1204
Chagnon, M.-C., 820
Chandler, L. D., 938
Chang, C. J., 1274
Chase, A. R., 234
Chastagner, G. A, 1286
Chauhan, V. B., 1230
Chellemi, D. O., 455
Chen, J., 723
Chen, K., 723
Chen, S. C., 1060
Cherry
—*Pseudomonas syringae* on, DNA hybridization probe for detection, 893
—sweet, *Eutypa lata* perithecia on, 431
Chestnut
—blight: biocontrol with transmissible hypovirulence, 656; resistance in Switzerland, 5
Chiou, C.-S., 1110
Cho, J. J., 367
Christ, B. J., 353, 644
Christie, R. G., 251
Chrysanthemum, white rust, first occurrence in Oregon, 431
Cicadulina mbila, maize streak virus vector, transmission, 27
Cicer arietinum
—Ascochyta blight of, virulence forms, 904
—Fusarium wilt, resistance, 914
—Pythium damping-off, resistance, 1244
Citrus (see also Lime)
—bacterial diseases, Florida perspectives, 1193, (1194)
—bacterial spot, strain variations of pathogen, 622
—black root rot, peat as inoculum source, 1246
—blight: detection using immunology, 447; seasonal occurrence of pathogens, 145
—canker: bacterial spot and exudation, 192; on grapefruit, cover photo, December
—decline, fungicides for, 1223
—Phytophthora foot rot of, screening methods, 402
—*Phytophthora palmivora* on, in Florida, 532
—ringspot, psorosis, and viruslike agents, isolate comparison, 613
—root rot, propagule type and number in groves, 173
—sour rot of fruits, predisposition in water, 166
—tree health measurement, aerial photography, 370
Civerolo, E. L., 613, 622
Claflin, L. E., 32
Clavibacter michiganensis
—on tomato: detection in symptomless transplants, 834; seed treatment for, 383
Claviceps sp., on buffelgrass, triadimefon for control, 627
—*C. fusiformis*, on pearl millet, flower factors, 1217
—*C. purpurea*: on grasses in Oregon, 1038; spatial pattern, in Oregon, 1172
Claypool, P. L., 579
Clement, S. L., 169, 215
Cloud, G. L., 771
Clover (see also White clover)
—crimson, Sclerotinia crown and stem rot, clipping treatments for control, 59
Cobb, A. C., 863
Coble, H. D., 1016
Coconut cadang-cadang viroid, on oil palm, cover photo, April
Coconut palm, cadang-cadang disease, disease description, 330, (331-334)
Coffey, M. D., 118
Coggins, C. W., 166
Cohen, E., 166
Cohen, J., 291
Coleus
—cucumber mosaic virus on, 1183, (1184)
—viroid of, occurrence and transmission on seeds in Canada, 184
Colletotrichum spp.
—*C. acutatum*, on strawberry, in Connecticut, first problem, 1286
—*C. dematium*, on spinach, in Ontario, first report, 101
—*C. gloeosporioides*, on grape, ripe rot, cover photo, February
—*C. graminicola*, on sorghum, variation and cultural characteristics, 778, (781)
—*C. lindemuthianum*, on bean, gene linkage of resistance and anthocyanin genes, 941
—*C. orbiculare*, on watermelon, in California transplants, 644
—*C. truncatum*, on soybean, soil temperature effect, 1282
Colocasia esculenta, storage rot in Guam, 1286
Colyer, P. D., 380, 739
Common names for plant diseases
—avocado, 225
—*Cannabis sativa*, 226
—cassava, 227
—date palm, 227
—flax, 228
—Jerusalem artichoke, 230
—rye, 228

—safflower, 229
—spinach, 229
—sunflower, 230
Computer, diagnosis of plant disease, teaching method, 320
Conner, R. L., 852
Container media, compost-amended, disease suppression in floricultural crops, 869, (870)
Convolvulus arvensis, anthracnose, biocontrol agent for, 1175
Conway, W. S., 620
Cook, C. G., 56
Cooksey, D. A., 101
Cooper, N. K., 143
Coriander sativum, leaf spot of, in California, 101
Corn (see also Maize)
—ear rot, inoculation technique, 1057
—*Fusarium* and *Trichoderma* recovery, tillage and rotation effect, 828
—kernel infection, *Aspergillus flavus*, 910
—leaf blight, cover photo, August
—leaf spot, cover photo, September
—northern leaf blight, fitness variation in Israel, 163
—northern leaf blight organism, resistance gene *Ht*N, 430
—Phaeosphaeria leaf spot of, in Florida, 968
—red root rot, new in Delmarva Peninsula, 1186
—rust of, resistance genes, 1130
—sweet: Fusarium stalk rot in Oklahoma, 862; northern leaf blight and Stewart's wilt, resistance, 1094
Cornus florida, canker of, drought stress effect, 886
Correll, J. C., 630, 676, 751
Cosper, J. W., 159
Costa, A. S., 101
Cote, E., 862
Cotton
—aflatoxin contamination of seed, harvest date effect, 312
—bacterial blight, race 18 in Australia, 43
—Phymatotrichum root rot of, resistant genotypes, 56
—seedling disease: planting date and in-furrow pesticide effect, 739; thrips infestation, 380
—vesicular-arbuscular mycorrhizae on, soil solarization and metalaxyl interaction, 665
Cotty, P. J., 312
Couch, H. B., 1064
Cover photo
—*Abelmoschus moschatus*, *Pseudomonas* leaf spot, April
—asparagus, rust of, May
—barberry, black rust of, March
—barley, net blotch of, May
—black pepper, *Fusarium solani* on, June
—bougainvillea, leaf spot, September
—cantaloup, brown spot of, February
—carrot, cavity spot of, May
—corn: leaf spot, September; northern leaf blight, August; Rhizoctonia leaf and sheath blight, December
—croton, rhabdovirus, August
—cucumber mosaic virus: on coleus, November; on tomato, January
—date palm, *Graphiola phoenicis* on, fruit structure, January
—dogwood, canker, September
—eggplant: fruit rot, January; Verticillium wilt of, June
—Fraser fir, Phytophthora root rot, March
—grape: gray spot, August; ripe rot of, February
—grapefruit, citrus canker, December
—hemlock, dwarf mistletoe on, April
—kalanchoe, powdery mildew of, March
—mustard, white rust, December
—orchardgrass, scald, October
—palm, leaf spot on, April
—peppermint, tomato spotted wilt virus on, June
—periwinkle, aster yellows mycoplasmalike organism on, June
—pine, leader dieback, August
—pistachio, shoot canker of, April
—poplar, shoot blight, December
—potato leafroll virus, on *Physalis*, January
—prune, russet scab, rain-induced, November
—pumpkin, powdery mildew, October
—redwood, branch dieback, October
—rice blast, February
—*Sclerotinia minor*, on peanut stem, November
—*Senecio cineraria*, Verticillium wilt of, March
—tall fescue, stem rust, September
—tomato, black leaf mold, October
—wheat, tan spot of, February
—wheat spindle streak mosaic virus, on wheat, November
—white clover, black spot, May
—*Xanthomonas campestris* on betelvine, July
Cowling, W. A., 1023
Cowpea, root and stem rot, in Sri Lanka, 215
Coyne, D. P., 952
Craft, C. M., 510
Craig, J., 627
Cranberry
—cottonball disease, control with fungicides, 502
—storage rots, fungicide effects on yield, 244
Crinipellis perniciosa, on cacao, infection biology, 552, (554)
Cronartium quercuum, on pine, synonymy, isozyme analysis, 1225
Crop loss assessment, terms and concepts, 1187
Crosier, D. C., 855
Croton
—rhabdovirus, cover photo, August
—rhabdoviruslike particles in, first report, 862
Cruz, F. J., 1286
Cryphonectria parasitica
—on chestnut: biocontrol, transmissible hypovirulence 656, (657-659); blight resistance selection in Switzerland, 5
Csinos, A. S., 483, 744, 863, 1186
Cucumber, Ulocladium leaf spot, first report in California, 863
Cucumber mosaic virus
—on coleus, 1183, (1184); cover photo, November
—on cucurbits, in Hawaii, 367
—on sweet potato, whitefly agent, 291
—on tomato, satellite-mediated protection: 86, (88); in Italy, 93, (93-95)
Cucurbits, viruses of, in Louisiana, 431
Cui, P. F., 242
Culbreath, A. K., 483, 863
Cunfer, B. M., 645, 1050
Cupressaceae, canker disease of, in Kansas and Texas, 138, (139)
Cylindrocarpon destructans, black root rot complex, fumigants for, 416
Cytospora sp., on *Alnus incana*, in Oregon, 1286
Czosnek, H., 279

da Graca, J. V., 613
Damann, K. E., 568
Dandurand, L. M., 466
Daquioag, R. D., 926
Darmono, T. W., 610
Dashiell, K. E., 537
Data collection, system for, remote location application, 645
Date palm, *Graphiola phoenicis* on, fruit structure, cover photo, January
Datnoff, L. E., 729
Davis, J. M., 706
Davis, R. E., 1227
Davis, R. M., 319, 519
DeAngelis, J. D., 644
Deep, I. W., 828
Delwiche, P. A., 82
de Milliano, W. A. J., 101, 215
Demski, J. W., 431, 483, 863, 1269
DeNitto, G. A., 968
Derrick, K. S., 613
Desjardins, P. R., 1019
de Souza-Dias, J. A. C., 101
DeVay, J. E., 1160
De Vries-Paterson, R. M., 943
Dillard, E. A., III, 874
Dillard, H. R., 863
Diplocarpon rosae, on rose, fungicides and spray schedules, 1143
Discula sp., on dogwood, in Alabama, 431
Disease (see also Common names for plant diseases)
—exotic, risk and impact, assessment, 976
Disease control, biological and cultural tests, 1991 reports, 969
Dittapongpitch, V., 733
Ditylenchus destructor, on potato, host range, 37
Dixon, W. N, 823
Dodds, J. A., 1019
Dogwood
—anthracnose, in Alabama, 431
—canker, cover photo, September
Dowler, C. C., 1274
Dowler, W. M., 976, 1201
Drechslera teres
—on barley: cover photo, May; report in South Carolina, 537; resistance technique, 703
Drijepondt, S. C., 526
Dron, M., 941
Duffus, J. E., 862
Dunwell, 862
Dyer, A. T., 814

Eastburn, D. M., 1286
Eckert, J. W., 166
Editorial
—Robert I. Bruck and Steven R. Shafer, global climate change research, 437
—Charles J. Delp, international service volunteers, 3
—Larry Elworth, pesticide regulation, 544
Edwardson, J. R., 251
Eggplant
—bacterial wilt, breeding for resistance, 398
—fruit rot from *Rhizopus*, cover photo, January
—Verticillium wilt, plastic mulch and nitrogen side-dressing, 1164
Ehret, G. R., 529
El-Zik, K. M., 56
Elliott, M. L., 238, 1075
Elliott, M. S., 130
Ellis, M. A., 439
Elm, Dutch elm disease of, *Ophiostoma* populations in New England, 720
Elmer, W. H., 1164
Emechebe, A. M., 750
Endophyte
—*Acremonium coenophialum* on tall fescue, rust relation, 883
—on *Lolium* spp., survey and detection, 169
—tall fescue, survival in animal digestive tract, 776
Enterobacter spp.
—*E. aerogenes*, on apple, *Phytophthora* relation, 406
—*E. cloacae*, dollar spot control by, on turfgrass, 510
Epstein, L., 148
Erinle, I. D., 750
Errampalli, D., 579
Erratum, vol. 74, no. 12, 1990, 311
Erwinia spp.
—*E. amylovora*: on apple, streptomycin resistance, 1110; bacteriocides for, resistance, pear orchards, 287
—*E. ananas*: on cantaloup, cover photo, February; on cantaloup, pathogenicity and postharvest disease, 180, (180)
—*E. carotovora*, on tomato fruit, resistance to infiltration, 152
—*E. herbicola*, tumorigenic strains from beet, 855
—*E. rubrifaciens*, on English walnut, budwood transmission, 360
—*E. stewartii*, on sweet corn, resistance, 1094
Eschen, D. J., 466
Eshenaur, B. C., 862
Estrada, B. A., 462
Euphorbia spp.
—*E. esula*, biocontrol, 1201
—*E. supina*, *Amyphobotrys ricini* on, in

Oklahoma, 750
Eutypa lata, on sweet cherry, perithecial production in California, 431
Evans, T. A., 1074, 1075
Exserohilum turcicum
—on corn: cover photo, August; field isolate fitness variation in Israel, 163; race 23N in Florida, 863; resistance gene *Ht*N, 430
—on sweet corn, resistance, 1094
Eyal, Z., 231, 907
Ezzahiri, B., 65

Falk, B. W., 319
Falk, D., 934
Falloon, P. G., 514
Fare, D. C., 1143
Faria, J. C., 336
Fatmi, M., 383
Felix-Gastelum, R., 1160
Fernandes, J. M. C., 1101
Fernando, W. G. D., 215
Ferrandino, F. J., 1164
Ferrin, D. M., 1041, 1074
Fescue
—*Puccinia graminis* and *Acremonium coenophialum* on, reaction, 883
—stem rust, cover photo, September
Festuca arundinacea, endophyte of, survival in animal digestive tract, 776
Filajdić, N., 1045
Filip, G. M., 1286
Fitch, L., 360
Fletcher, J., 579
Focus, 4, 112, 219, 328, 438, 545, 653, 760, 868, 975, 1084, 1192
Fogle, D. G., 644, 863, 1075
Fontem, D. A., 269
Forster, R. L., 537
Fox, J. W., 676
Frank, Z. R., 1123
Frankliniella occidentalis, tomato spotted wilt virus vector, 78
French, W. J., 767
Frensham, A. B., 40
Frias, G. A., 552
Fulbright, D. W., 656
Fumigants, black root rot complex on strawberry, effect, 416
Fungicides, general (see also Fungicides, specific)
—Alternaria leaf blight of muskmelon, retention in greenhouse, 1013
—apple root rot and bacterial relation, 406
—black spot of rose, ergosterol-biosynthesis inhibitor, 1143
—chemigation using center-pivot irrigation, soil fungi effect, 999
—citrus decline control, 1223
—citrus root rot control, 264
—cranberry cottonball, 502
—cranberry storage rots affected by, 244
—orchard leaf spot disease control, yield effect, 1004
—on peanut, for *Sclerotinia minor*, activity and resistance, 1138
—*Penicillium* spp. resistant to, on citrus, 1098
—powdery mildew of grape, sporulation effect, 455
—Rhizoctonia crater rot of carrot, storage, 470
—Rhizoctonia stem rot of poinsettia control, 394
—rice sheath blight, 1254
—sterol demethylation inhibitors, for apple scab, 726
—turfgrass disease control, incidence and severity effect, 1064, (1065)
—turnip leaf spot, processed greens, 878
—wheat seed decay, 957
—wheat to Rhizoctonia root rot, temperature relation, 983
Fungicides, specific (see also Fungicides, general)
—benomyl: *Monilinia fructicola* resistant to, on peach, 590; *Venturia inaequalis* resistance to, phenotype patterns, 616
—benzimidazole, apple storage rot affected by, 712
—chlorine, sooty blotch and flyspeck of apple fruit controlled by, 742
—copper, fire blight of pear control, 287
—metalaxyl: for cotton, onion, and pepper, factor interaction in field, 665; Phytophthora root rot of asparagus, 514; *Phytophthora* spp. insensitivity, on ornamentals in California, 1041
—metalaxyl and metham-sodium, strawberry black root rot complex, 416
—tebuconazole: peanut leaf spot controlled by, 699; for peanut soilborne pathogens, 744
—triadimefon, buffelgrass ergot controlled by, 627
Fusarium spp.: on alfalfa, crown rot association in Nevada, 51, (52, 54); on corn, recovery from corn, tillage and rotation effect, 828; on guayule, isolation and pathogenicity in Arizona, 736; on potato tubers, in soil at harvest, 126; on sugar beet, variation in isolates, 486
—*F. equiseti*: on pumpkin, cover photo, July; on pumpkin, fruit rot in Arkansas, 751
—*F. graminearum*, on cereal seed, production input and infection, 784
—*F. lateritium*, on sweet potato, in North Carolina, 750
—*F. moniliforme*, on supersweet corn, in Oklahoma, 862
—*F. oxysporum*: on celery, control by methyl bromide and steam, 123; on chickpea, resistance, 914; on melon, resistance to, in Texas, 24; race 2, on celery, resistance and somaclonal variation, 1034; on soybean, trifluralin predisposition, 342; on tomato, race 3 resistance, 281; on watermelon, race 2, resistance induced, 874
—*F. proliferatum*, on taro, in Guam, storage, 1286
—*F. solani*, on black pepper, cover photo, June
—*F. subglutinans*, on Monterey pine, factors in California, 676, 680
Fynn, R. P., 1261

Gabor, B. K., 118
Gaeumannomyces spp., selective medium for, 1075
—*G. graminis*: on turfgrasses, similar fungi to, 238, (240); on wheat, rotation effect, 1050
Gallitelli, D., 93
Gantet, P., 941
García-Arenal, F., 930
Gardner, D. E., 968
Garnett, H. M., 638
Garnier, M., 546
Gatti, J. M., Jr., 863
Gay, J. D., 1180
Gbur, E. E, 47
Geotrichum candidum, on citrus fruit, predisposition in water, 166
Geranium
—*Pythium ultimum* on, greenhouse tolerance, 820
—stem blight, factors, 1168
—stem and leaf blights of, airborne conidia and factors, 798, 1236
German, T. L., 367, 859
Ghabrial, S. A., 156
Gilbert, R. G., 141
Gilbertson, R. L., 336
Gildow, F. E., 215, 644
Gillaspie, A. G., Jr., 1157
Gilliam, C. H., 886, 1143
Gilly, S. P., 823
Ginseng, *Phytophthora cactorum* in soil of, pathogenicity, 610
Gitaitis, R. D., 672, 834, 1180, 1274
Glawe, D. A., 968, 1008
Globodera tabacum
—on tobacco: first report in North Carolina, 1074; resistance genetics, 453
Gloeodes pomigena, on apple fruit, chlorine dip for, 742
Gloeotinia temulenta
—on grasses in Oregon, 1038
—spatial pattern, in Oregon, 1172
Glomerella cingulata
—on poplar: cover photo, December; leaf and shoot blight, 1286
Golino, D. A., 960, 964
Gonsalves, D., 203, 960, 964, 1249
Gonzalez, C. F., 159
Goodman, M. M., 968
Gordon, T. R., 676
Goth, R. W., 398
Gottwald, T. R., 192, 1193
Gould, A. B., 767
Graham, J. H., 1193, 1246
Grape
—ajinashika disease, virus particle association, 1249, (1251)
—crown gall of, isolate characterization, 634, (635)
—downy mildew of, phosphorous acid control, 40
—gray rot, cover photo, August
—muscadine, diseases and control, 113, (114-116)
—powdery mildew, sporulation affected by fungicides and water, 455
—ripe rot of, cover photo, February
—rupestris stem pitting disease, detection of dsRNA in, 960
Grapefruit (see Citrus)
Grass, ergot and blind seed diseases, in Oregon, 1038
Grau, C. R., 82, 196, 687, 1153
Graves, C. H., 634
Graves, W. R., 319
Gray, S. M., 1105
Greathead, A. S., 514, 751
Greber, R. S., 450
Grech, N. M., 1233
Green, S. K., 1186
Griesbach, J. A., 431
Griffin, D. E., 634
Grisvard, J., 941
Gritton, E. T., 687
Grogan, R. G., 134, 514
Groundnut rosette virus, peanut genotype reaction, yield, 1269
Grove, G. G., 287, 439
Gu, C. F., 242
Guar, new green-sterile disease, in South Africa, 638, (640, 641)
Guayule
—blossom blight, first report, 748
—*Fusarium* spp. on, pathogenicity in Arizona, 736
Guerard, J. P., 519
Gulya, T. J., 572

Hagan, A. K., 886, 1143
Halisky, P. M., 537
Hall, R., 934
Halloin, J. M., 751
Han, Y., 18
Hancock, J. G., 416, 691
Hannan, R. M., 1244
Hanold, D., 330
Harper, D. H., 360, 1026
Harrison, G. W., 999
Hartman, G. L., 494, 596, 751, 1060
Hartung, J. S., 622
Hasan, S., 537
Hausbeck, M. K., 215, 798, 1168, 1236
Hawk, J. A., 1057, 1186
Haynes, K. G., 398
Hegwood, C. P., 634
Helms, T. C., 662
Hemlock, western, dwarf mistletoe of, spread and intensification in Alaska, 363
Hemp sesbania, mycoherbicide, virulence, 62
Henderson, C. T., 402
Hendrix, F. F., Jr., 742
Hennon, P. E., 363
Herbicides
—ethalfluralin, peanut net blotch disease caused by, 1123, (1124)
—trifluralin, Fusarium root rot of soybean interaction, 342

Heterobasidion annosum, on slash pine, stump and root residues, in Florida, 823
Heterodera glycines
—on soybean: planting date and tillage effects on yield, 301; population density and weed competition effect, 1016; seedling inoculation method, 594
Hewings, A. D., 143, 1008
Hibben, C. R., 1227
Hibino, H., 926
Hickey, K. D., 968
Hidayat, S. H., 336
Hiebert, E., 251
Higley, P. M., 497
Hignight, K. W., 627
Hilton, R. J., 212
Himmel, P. T., 1008
Hobbs, H. A., 863
Hodge, N. C., 968, 1053
Hoitink, H. A. J., 869, 1261
Holcomb, G. E., 1183
Hollier, C. A., 568
Holz, G., 126
Homalodisca coagulata, rootstock influence on, 767
Honegger, J., 843
Hopkins, D. L., 1053
Hopkins, M. S., 1157
Hordeum spp., endophytes of, clavicipitaceous, 215
Houston, D. R., 720
Hsu, H. T., 292
Huang, Y. H., 751
Hubbes, M., 1225
Hulbert, S. H., 1130
Hurst, W. C., 878
Hutchison, D. J., 402

Imbriani, J. L., 1074
Impatiens, tomato spotted wilt virus on, detection with tissue blotting, 292
Inbar, Y., 869
Inonotus tomentosus, on spruce stumps, survival after logging, 788
Instructions to authors, 102
Irrigation, center-pivot, chemigation effect on soil fungi, 999

Jackson, L. F., 96
James, T. D. W., 1101
Jan, H., 904
Janisiewicz, W., 890
Jardine, D. J., 523
Jarlfors, U. E., 862
Jeffers, S. N., 244, 502
Jensen, S. G., 497
Jester, W. R., 750
Jimenez, M. J., 148
Jiménez-Díaz, R. M., 914
Jochimsen, K. N., 954
Johnson, C. S., 390
Johnson, D. A., 285
Johnson, D. R., 1201
Johnson, E. L. V., 665
Johnston, R. H., 957
Jones, A. L., 529, 893, 943, 1110
Jones, D. B., 729
Jones, E. R., 1074
Jones, J. B., 357, 606, 1053
Joy, A. E., 987
Juarez-Palacios, C., 1160
Juvik, J. A., 1094

Kabashima, J. N., 305, 1041, 1074
Kaiser, C. A., 862
Kaiser, W. J., 169, 215, 258, 1186, 1244
Kaper, J. M., 86, 93, 319
Karunakar, R. I., 778
Katan, J., 1123
Katz, B. H., 855
Kaula, G. M., 101, 215
Kedar, N., 279
Kelley, W. D., 431
Khan, M., 1282
Khan, M. A., 926
Kim, C. K., 462
King, E. B., 987
King, S. B., 1217
Kingsland, G. C., 537
Klapproth, J. C., 1057
Klein, R. E., 258, 1186
Kliejunas, J. T., 968
Klose, M. J., 450
Knous, T. R., 51
Knudsen, G. R., 466
Koch, E., 1279
Koch, M. F., 897, 901
Koehler, C. S., 676
Koenning, S. R., 301
Koike, S. T., 101, 319, 644, 1074
Kolb, F. L., 143
Köller, W., 726
Korjagin, B. A., 712
Kornegay, J. L., 1208, 1212
Kotzé, J. M., 1233
Kretschmer, A. E., 430
Kring, J. B., 1186
Kucharek, T. A., 1053
Kuhn, C. W., 1269
Kumar, J., 1244
Kunene, S., 215

Lacy, M. L., 1034
Lamari, L., 121
Lambert, D. H., 750
LaMondia, J. A., 453, 1286
Landschoot, P. J., 238
Lara, S. P., 315
Larix decidua, needle blight, resistance screening, 1222
Larsen, R. C., 1186
Lasiodiplodia theobromae
—on dogwood: cover photo, September; drought stress effect, 886
—on taro, in Guam, 1286
Latin, R. X., 1013
Law, T. F., 475
Lawson, R. H., 292
Leach, J. E., 32
Leath, S., 807
Lecoq, H., 203, 208
Lee, E. J., 462
Lee, R. F., 613
Leersia hexandra, *Xanthomonas campestris* on, host in Texas, 159
Legumes, grain, virus epidemic in Washington, 1186
Lei, J. D., 200
Lemaire, J. M., 208
Leong, S. A., 336
Leopold, D. J., 13, 18
Leptographium procerum, on white pine, in Connecticut, 431
Leptosphaeria maculans, on rape, isolate groups, 1279, (1280)
Leptosphaerulina crassiasca, on peanut, symptomatology, 1266, (1267, 1268)
Le Roux, H. F., 1233
Lester, D. G., 215
Lester, G. E., 180
Lettuce
—anthracnose, role of microsclerotia, 134
—corky root of, survival lack in lettuce and barley leaves, 954
—yellows of, characterization of isolates in Oklahoma, 579
Lettuce mosaic virus, on freeway daisy, 751
Leucospermum cordifolium, Verticillium wilt, 1074
Levy, Y., 163
Li, H.-L., 159
Li, R. H., 130
Liebman, J. A., 148
Lillard, D. A., 878
Lime (see also Citrus)
—witches'-broom of, in Oman and United Arab Emirates, 546, (547, 548, 550)
Lin, D., 1225
Lindsey, D. L., 1048
Lipps, P. E., 828, 993
Liu, H. Y., 862
Liu, Z., 682
Loebenstein, G., 291
Lolium spp., endophytic fungi in, survey and detection, 169, (171)
Long, D. L., 1127
Loper, J. E., 287
Lorbeer, J. W., 123
Lotus corniculatus, crown and root rot, in Delaware, 1074
Lupine, *Phoma* spp. on, first report in North America, 862
Lupinus angustifolius, Phomopsis stem blight of, coralloid hyphae and latent infection, 1023, (1024)
Luszcz, L. A., 590
Lutz, A. L., 173
Lyons, P. C., 1130

MacDonald, J. D., 305
MacDonald, W. L., 656
MacGuidwin, A. E., 37
MacLeod, J. A., 784
Macrophomina phaseolina, sclerotia of, media for enumeration, 771
Macroptilium atropurpureum, rust of, pathotype variability, 430
Madden, L. V., 439
Magarey, P. A., 40
Mahoney, N., 490
Maize (see Corn)
Maize chlorotic mottle virus, seed transmission, 497
Maize streak virus, characterization of isolates, antibody technique and host transmission, 27
Mancl, M. K., 572
Mango
—fruit fly and decay, heat treatment, 946
—tip dieback of, cause in Florida, 315, (317)
Marchetti, M. A., 773
Marois, J. J., 431, 455
Martelli, G., 93
Martin, J.-G., 319
Martin, R. A., 784
Martinez, R. T., 336
Martyn, R. D., 874, 1133
Marx, D. M., 47
Matalaote, B., 101, 215
Matejka, J. C., 264
Matheron, M. E., 264
Mathieson, J. T., 983
Mathre, D. E., 957
Matson, K. W., 594
Matteoni, J. A., 78
Maxwell, D. P., 336
Mbwaga, A. M., 101, 215
McCain, A. H., 676
McCarter, S. M., 424, 672
McDonald, M. R., 101
McGrath, M. T., 1075
McGuire, R. G., 606, 946
McIntosh, C. E., 859
McKeown, A. W., 430
McMillan, R. T., 315, 319
Meloidogyne spp.
—on *Phaseolus*: Colombia and Peru, yield, 1208, (1210); cultivar reaction, 1212
Melton, T. A., 695, 1074
Menassa, R., 1175
Menge, J. A., 173, 665
Mengistu, A., 196, 1279
Mertely, J. C., 1133
Mew, T. W., 897, 901
Meyer, A. C., 1094
Meyer, J. R., 601
Mhameed, S., 1123
Michailides, T. J., 373, 410, 1114
Micinski, S., 380, 739
Microcephalothrips abdominalis, vector for tobacco streak virus, 450
Microdochium panattonianum, on lettuce, microsclerotial role, 134, (136)
Milbrath, G. M., 431
Milholland, R. D., 113, 475
Miller, G. A., 5
Miller, M. E., 1133

Miller, N. R., 1105
Mills, L. J., 430
Milne, J. R., 450
Mink, G. I., 130, 537
Misari, S. M., 750, 1269
Mitchell, D. J., 296
Mitchell, J. K., 751
Mizell, R. F., III, 767
Model, exotic diseases, risk and potential impact, 976
Monahan, J. F., 706
Monilinia spp.
—*M. fructicola*: on peach, benomyl resistance in orchards, 590; on sweet cherry, CO_2 effect, 943
—*M. oxycocci*, on cranberry, fungicides for, 502
Monosporascus cannonballus, on muskmelon, decline role, 1133, (1134, 1135)
Montasser, M. S., 86, 93, 319
Moore, J. M., 1186
Morales, F., 336, 1090
Morelock, T. E., 630
Moreno, P., 613
Morgan, D. P., 148
Morgan-Jones, A. L., 886
Moriones, E., 930
Mosely, P. R., 863
Msiska, F. S., 101, 215
Mtisi, E., 101, 215
Mucor spp., on stone fruit, postharvest decay, 373
Muehlchen, A. M., 1153
Mughogho, L. K., 778
Mullen, J. M., 886
Mullen, R. J., 514
Mullin, B. A., 1208, 1212
Mullins, J. A., 715
Mulrooney, R. P., 1074
Munkvold, G. P., 431
Murphy, A. P., 699, 744
Muskmelon (see also Cantaloup)
—Alternaria leaf blight: fungicides for, retention in greenhouse, 1013; leaf miner feeding activity effect, 938
—Fusarium wilt of, resistance in Texas, 24
—root rot and vine decline, role of fungi, 1133, (1134, 1135)
Mycoleptodiscus terrestris, on bird's-foot trefoil, in Delaware, 1074
Mycoplasmalike diseases, on lime, witches'-broom, in United Arab Emirates, 546
Mycoplasmalike organisms
—ash yellows: lilac witches'-broom relation, 1227; radial growth of tree affected by, 18; stand composition, 13
—aster yellows, on periwinkle, cover photo, June
—carrot and lettuce yellows, incidence in Oklahoma, 579, (582)
—on white ash, root necrosis and histology, 814, (815-817)
Mycorrhizae, vesicular-arbuscular, on cotton, onion, and pepper, metalaxyl interaction, 665
Mycosphaerella spp.
—*M. laricina*, resistance in larch, screening, 1222
—*M. pini*, on Scots pine, in Ontario, 644
Mycotoxins, aflatoxin, in cottonseed, harvest date effect, 312
Myers, J. R., 537
Myren, D. T., 644

Namba, S., 1249
Narayanan, K. R., 315
Nauta, R., 101
Navot, N., 279
Nectarine, postharvest decay, *Mucor* spp., 373, (377)
Nectria haematococca, on passionfruit, in Florida, 1071
Neher, D. A., 320
Nelson, B. D., 662
Nelson, E. B., 510
Nelson, J. H., 1074
Nelson, S. C., 537
Nephotettix spp., rice tungro virus vectors, 926
Newcombe, G., 1286
Nguyen, K. T., 739
Norelli, J. L., 529
Notteghem, J.-L., 843
Nuñez, J. J., 519
Nus, A., 138
Nutter, F. W., Jr., 1187
Nygaard, S. L., 82

Oak, bacterial leaf scorch, in Kentucky, 862
Oats
—barley yellow dwarf virus on, root growth effect, 143
—powdery mildew, epidemic and resistance, 807
O'Brien, R. D., 954
Okoli, C. A. N., 750
Olive, Verticillium wilt, soil solarization applications for, 557
Oliver, B., 751
Olorunju, P. E., 1269
Olson, M. A., 662
Omura, T., 458
Onion
—bacterial blight, in Georgia, 1180
—vesicular-arbuscular mycorrhizae of, soil solarization and metalaxyl interaction, 665
Ophiostoma ulmi, on elm, aggressive and nonaggressive subgroups, in New England, 720
Opina, O. S., 926
Orchardgrass
—leaf spot diseases, fungicide and yield effect, 1004
—scald, cover photo, October
Ornamentals, *Rhizoctonia* spp. on, in Florida, 234
Osteospermum fruticosum, lettuce mosaic virus of, 751
Ostry, M. E., 1222
Owen, M. L., 610
Owens, R. A., 319

Palm, M. E., 1075
Palmer, M. A., 507
Pande, S., 778
Paplomatas, E. J., 557, 1160
Parke, J. L., 610, 987
Parker, D. M., 726
Parks, C. A., 1286
Passionfruit
—brown spot, first report in Florida, 319
—sudden wilt, in Florida, 1071
Pastor-Corrales, M. A., 1208, 1212
Pataky, J. K., 1094
Paterson, J. M., 893
Patterson, C. L., 134, 180, 274, 644, 862
Paulitz, T. C., 862
Paulus, A. O., 101
Pea, root rot of, biocontrol with bacteria, 987
Peach
—*Monilinia fructicola* on, benomyl-resistant isolates, 590
—postharvest decay, Mucorales, 373
—Prunus necrotic ringspot virus on, factors, 847
—tree short life development, cambium temperatures and wraps for, 803
Peanut
—*Bacillus* as seed treatment, factors, 347
—foliar chlorosis, virus association, 863
—groundnut rosette virus, genotype reaction, 1269
—leaf spot of, tebuconazole effect on, 699
—leaf spot and scorch, *Leptosphaerulina* cause, 1266, (1267, 1268)
—net blotch, pod disease, ethalfluralin effect, 1123
—Sclerotinia blight, fungicides for, 1138
—*Sclerotinia sclerotiorum* as pathogen, in Georgia, 319
—*Sclerotium* and *Rhizoctonia* on, tebuconazole for, 744
—soil fungal population, chemigation effect, 999
—tomato spotted wilt virus on, first report in Virginia, 431
Peanut mottle virus
—on groundnut, seedborne strain, 130, (131, 132)
—on Texas snap beans, 430
—on tropical forage legumes, potyvirus relation, 1090
Peanut stripe virus
—seed transmission, 723
—on soybean, spread and yield, 1157
Peanut stunt virus, on white clover, natural occurrence in hybrid, 156
Pear
—fire blight, bacteriocide resistance, 287
—scab, temperature and moisture, pre- and post-harvest, 1204
—side rot, resistance enhanced with calcium chloride, 212
Pearson, D. L., 32
Pedersen, W. L., 430
Pena-Matos, E., 952
Penicillium spp.
—on apple, in storage, benzimidazole resistance to, 712
—fungicide resistance, on citrus fruit, 1098
—on wheat seed, dry seed decay control, 957
Pennisetum glaucum, ergot, flower factors, 1217
Pennypacker, S. P., 798, 1168, 1236
Pepper (see also *Capsicum* spp.)
—bacterial spot of, copper- and streptomycin-resistant strains, 733
—viruses of, incidence and distribution in California, 1019
Peppermint, tomato spotted wilt virus on, first report, 644
Peronospora spp.
—*P. farinosa*, on spinach, race 4 identification, 630
—*P. parasitica*, on Chinese cabbage, resistance, 10
—*P. tabacina*, on tobacco, climatology, air parcel trajectories, 706
Perry, D. K., 1074
Perry, R., 862
Pesticides
—cotton seedling disease affected by, planting date relation, 739
—glyphosate, red crown rot of soybeans affected by, 809
—registrations, cancellation effect on economy, computer-assisted evaluation, 1077
Peterschmitt, M., 27
Petersen, M. A., 130
Petrunak, D. M., 644
Phaeosphaeria maydis
—on corn: cover photo, September; in Florida, 968
Phakopsora pachyrhizi, on soybean, development, severity, yield, and quantitative relation, 596
Phaseolus vulgaris
—anthracnose of, resistance and anthocyanin gene linkage, 941
—common bacterial blight, longevity in debris, 952
—root-knot, in Colombia and Peru: cultivar reaction, 1212; yield loss, 1208, (1210)
Phatak, S. C., 672
Phialophora spp.
—*P. gregata*: on soybean, genotype reaction, 687; on soybean straw and soil, selective medium, 196
—*P. malorum*, on pear, calcium chloride for control, 212
Phillips, D. J., 1085
Phillips, D. V., 319, 645
Phillips, J. A., 1074
Phipps, P. M., 431, 1077, 1138
Phoma spp., on white lupine, first report in North America, 862
—*P. macdonaldii*, on sunflower, disease severity and yield loss, 1150
—*P. terrestris*, on corn, new disease, 1186
Phomopsis spp.
—*P. convolvulus*, on field bindweed, biocontrol agent, 1175
—*P. leptostromiformis*, on lupin, coralloid hyphae and latent infection, 1023
—*P. longicolla*, on soybean, seed decay pod test, 523

Phymatotrichum omnivorum, on cotton, resistant genotypes, 56
Physalis spp., potato leafroll virus indicator, 101
Phytophthora spp.: on asparagus, metalaxyl and flooding effect, 514; on citrus, fungicide effect, 264, 1233; on citrus, resistance screening methods, 402; on kiwi fruit, in Chile, 949, (950, 951); on ornamentals, metalaxyl insensitivity, 1041; thermal sensitivity, soil solarization effect, 1160; zoospores of, ELISA for detection in irrigation, 305
—*P. cactorum*: on apple, first report in Pakistan, 537; on apple, fungicide and *Enterobacter* relation, 406; occurrence in forest and ginseng soils in Wisconsin, pathogenicity, 610; on strawberry, epidemiology and control, 439, (439, 441, 442)
—*P. capsici*: on pepper, seedling screen, 1048, (1049); on pepper and tomato, etiology, 751
—*P. cinnamomi*: on avocado, resistance evaluation, 118; on azalea, detection using serology kits, 478; on Fraser fir, cover photo, March
—*P. citrophthora*: on redwood, in California, 1074; on redwood, cover photo, October
—*P. drechsleri*, on pigeon pea, weed effect, 1230
—*P. fragariae*, on strawberry, spore production, 475
—*P. lateralis*, on Pacific yew, first report, 968
—*P. palmivora*, on citrus, in Florida, 532, (533)
—*P. parasitica*: on citrus, propagule number and type in populations, 173; soil populations, citrus rootstock effect, 296; on tobacco, plant mortality and crop loss, 390
—*P. vignae*, on cowpea, greenhouse disease, 215
Piechocki, M., 319
Pijut, P. M., 1222
Pine
—annosum root rot, incidence in stump and root, in Florida, 823
—canker and dieback, seasonal infection response in South Africa, 1031
—digger, dwarf mistletoe, cover photo, July
—gall rust synonymy, isozyme analysis, 1225
—leader dieback, cover photo, August
—Monterey, pitch canker, factors in California, 676
—Scots, *Mycosphaerella pini* on, in Ontario, 644
—*Sphaeropsis sapinea* on, biology and control in South Africa, 761, (762, 764)
—stem canker and top-kill of, isolate pathogen types, 507
—white, Procerum root disease of, in Connecticut, 431
Pineapple, mealybug wilt, heat treatment effect, 859
Pistachio, Botrytis blossom and shoot blight, cultivar susceptibility, 410
Plasmopara viticola, on grape, phosphorous acid control, 40
Ploetz, R. C., 1071
Ploper, L. D., 585
Poinsettia, Rhizoctonia stem rot of, fungicides for control, 394
Polymyxa graminis, soilborne wheat mosaic virus vector, incidence in field, 1008
Pomela, L. M., 215
Poplar, Glomerella leaf and shoot blights, cover photo; December, 1286
Porter, D. M., 431
Postharvest diseases, blue and gray mold of apple and pear, pyrrolnitrin treatment, 490
Postharvest pathology
—calcium treatment of apple fruit, 620
—cherry and *Monilinia fructicola*, CO_2 effect, 943
—cranberry storage rots, fungicide effects on yield, 244
—fruits and vegetables, decay control with heat treatment, 1085
—*Penicillium* spp. on citrus, fungicide resistance, 1098
—taro storage rot, in Guam, 1286
Poswal, M. A. T., 750
Potato
—early blight: cover photo, July; leaf disk assay for detection, 385; resistance and disease assessment, 353
—*Fusarium* in tuber soils of, 126
—rot nematode of, host range, 37
—virus infection in, distribution in Pennsylvania, 644
Potato leafroll virus
—on *Physalis*, cover photo, January
—*Physalis* as indicator plant, 101
Potato spindle tuber viroid, biocontrol, virus-satellite combination, 319
Powell, N. T., 695
Powers, H. R., Jr., 1225
Powers, K. A., 212
Pratt, R. G., 59, 188
Pretorius, Z. A., 526
Price, J. F., 1186
Provvidenti, R., 203
Prune
—russet scab: environmentally induced, 1114, (1115-1117); rain-induced, cover photo, November
Prunus dulcis, Ceratocystis canker, pruning and bark wound effect, 1026
Prunus necrotic ringspot virus, on peach, longevity factors, 847
Pseudocercospora fuligena
—on tomato: cover photo, October; culture studies and pathogenicity, 1060, (1061)
Pseudocercosporella capsellae, on turnip greens, fungicides for, 878
Pseudomonas spp., biocontrol agent, pea root rot, 987, (988)
—*P. andropogonis*: on bougainvillea, cover photo, September; on bougainvillea, in Florida, 968; on white clover, cover photo, May; on white clover, outbreak in North Carolina, 537
—*P. cepacia*, pyrrolnitrin metabolite from, postharvest control of apple and pear mold, 490
—*P. fuscovaginae*, identification using biochemical and serological tests, 843
—*P. marginalis*, on broccoli, resistance, 715
—*P. pseudoalcaligenes*: on watermelon, in Delaware, 1074; on watermelon, fruit blotch in Florida, 1053
—*P. solanacearum*: on eggplant, resistance breeding, 398; on tobacco, cultivar resistance and rotation effect, 695
—*P. syringae*: on *Abelmoschus moschatus*, cover photo, April; on *Abelmoschus moschatus*, leaf spot and blight from, 424; on apple, streptomycin-resistant genes, 1110; on apple, streptomycin-resistant isolates, 529; on cherry, detection with DNA hybridization probe, 893; on cilantro, leaf spot, 101; on tomato, epiphytic survival, 672
—*P. viridiflava*, on onion, bacterial blight in Georgia, 1180
Pseudoperonospora humuli, on hop, model for predicting shoot emergence, 285
Puccinia spp.
—*P. acroptili*, on Russian knapweed, in New Mexico, 1075
—*P. asparagi*, on asparagus, cover photo, May
—*P. graminis*: on barberry, cover photo, March; on durum wheat, resistance differentials, 563; race survey, USA in 1989, 1127; on tall fescue, cover photo, September; on tall fescue, endophyte relation, 883; on wheat, pathogenicity variations in Mexico, 790
—*P. horiana*, on chrysanthemum, first report in Oregon, 431
—*P. jaceae*, on yellow starthistle, factors, 499
—*P. recondita*: on wheat, development and film-forming compounds, 231; on wheat, resistance using gene *Lr34*, 526
—*P. sorghi*, on corn, resistant lines, 1130
Pumpkin
—fruit rot: in Arkansas, 751, cover photo, July
—powdery mildew, 1075; cover photo, October
—Septoria fruit and leaf spot, Illinois, 1286
Punja, Z. K., 470
Purcifull, E. E., 251
Purdy, L. H., 552
Pusey, P. L., 847
Pyrenophora spp.
—*P. teres*, on barley, incomplete resistance and yield loss, 96
—*P. tritici-repentis*: on wheat, ascospore maturation, 1101; on wheat, chlorosis and necrosis responses, isolates, 121, (122); on wheat, cover photo, February
Pyricularia oryzae
—on rice: assessment of disease in irrigated environment, 462; calcium silicate effect, 729; cover photo, February
Pythium spp.: on carrot, cavity spot by, factors, 519; on pea, biocontrol by bacterial seed application, 987; on strawberry, black root rot and fumigant effects, 416; zoospores of, ELISA test for detection in irrigation water, 305
—*P. aphanidermatum*, on turfgrass, epidemic detection by antibody-aided monitoring, 921
—*P. irregulare*, on alfalfa, seedling and rootlet diseases, 691
—*P. ultimum*: on chickpea, resistance, 1244; on geraniums, tolerance in greenhouse, 820
—*P. violae*, on carrot, cavity spot, cover photo, May

Qhobela, M., 32

Ra, D. S., 462
Rabinowitch, H., 279
Radish, beet leafhopper-transmitted virescence agent, in Washington, 751
Raid, R. N., 729
Ramos, L. J., 315
Rand, R. E., 987
Randles, J. W., 330
Ranomenjanahary, S., 843
Rao, V. P., 1217
Rao-Arelli, A. P., 594
Rashid, K. Y., 852
Recilia dorsalis, tungro virus vectors in rice, 326
Redwood
—branch dieback, cover photo, October
—foliar blight and branch dieback, in California, 1074
Reilly, C. C., 803
Resistance
—alfalfa to Verticillium wilt, 82
—avocado to *Phytophthora cinnamomi*, 118
—beans to root-knot, 1212
—broccoli to bacterial soft rot, 715
—cabbage to Alternaria dark leaf spot, 269
—chestnut to blight, Switzerland selection, 5
—chickpea to Fusarium wilt, 914
—Chinese cabbage to downy mildew, 10
—corn to rust, *Rp* genes, 1130
—cotton to Phymatotrichum root rot, 56
—eggplant to bacterial wilt, 398
—larch to needle blight, 1222
—peanut to groundnut rosette virus, 1269
—potato to early blight, 353
—soybean to Sclerotinia stem rot, 662
—tobacco: to bacterial wilt, rotation effect, 695; to black root rot, inheritance, 889
—tomato to Fusarium wilt race 3, 281
—watermelon to Fusarium wilt, 874
Reviewer acknowledgment, 106
Rey, M. E. C., 638
Reynolds, K. L., 726
Reynolds, K. M., 439
Reynolds, L. B., 430
Reynuad, B., 27
Rhabdovirus
—on croton: 862; cover photo, August
Rhizoctonia spp., on ornamentals, characterization in Florida, 234
—*R. carotae*, on carrot, fungicide and salt dip treatment, in storage, 470
—*R. solani*: anastomosis group 2-2, on soybean, 682, (683, 685); on corn, cover photo, December; on peanut, tebuconazole for control, 744; on poinsettia, fungicides for control, 394; on rice, blight severity and yield loss relation, 773, 1254; on tobacco, epidemic

in Georgia, 1186; on wheat, temperature and fungicide effect, 983
Rhizomonas suberifaciens, on lettuce and barley leaves, survival lack, 954
Rhynchosporium spp.
—*R. orthosporum*, on orchardgrass, cover photo, October
—*R. secalis*, pathogenic variation, in Ontario, 934
Ribeiro, O. K., 949
Rice
—bacterial blight, resistance and leaf expansion rate, 897
—blast and brown spot, calcium silicate effect, 729
—blast and yield loss, assessment in irrigated environment, 462
—blast of, cover photo, February
—sheath blight, severity and yield relation, 773, 1254
—tungro-associated viruses, leafhopper vectors and weed hosts, 926
—viruses of, detection with serology, 458
—*Xanthomonas campestris*, plant age and leaf maturity effect, 901
Richard, C., 319
Ricker, M. D., 470
Rijkenberg, F. H. J., 526
Rimmer, S. R., 1279
Risse, L. A., 1098
Ritchie, D. F., 733
Roberts, D. L., 751
Roberts, J. J., 1127
Roberts, R. G., 287
Robertson, N. L., 839
Roelfs, A. P., 65, 563, 1127
Roistacher, C. N., 242
Roitman, J., 490
Rondinaro, S. M., 712
Rose, black spot of, fungicides and spray schedules, 1143
Rosenberger, D. A., 712
Rossignol, P. A., 644
Rossman, A. Y., 750
Rothrock, C. S., 1050
Rott, P., 843
Rowe, D. E., 188
Royer, M. H., 976
Rufty, R. C., 889
Rupe, J. C., 47, 771
Ruppel, E. G., 486
Rush, C. M., 983
Rush, M. C., 1254
Russo, L. W., 145
Russo, V. M., 750, 862
Rutabaga, turnip mosaic virus on, storability and factors, 575, (576)
Rytter, J. L., 968

Sams, C. E., 620
Sandler, H. A., 532
Sandlin, C. M., 1074
Sarrafi, A., 703
Satsuma dwarf virus, occurrence in China, 242, (243)
Schaad, N. W., 383
Schmidt, R. A., 552
Schmitt, D. P., 1016
Schroth, M. N., 416
Schultz, M. E., 676
Schultz, T. R., 751
Schuster, D. J., 1186
Sclerotinia spp., on alfalfa, stem inoculation response, 188, (189, 190)
—*S. homoeocarpa*, on turfgrass, control with *Enterobacter*, 510
—*S. minor*: on peanut, fungicides for, 1138; on peanut stem, cover photo, November
—*S. sclerotiorum*: on alfalfa, burning to reduce sclerotia, 141; biocontrol with *Trichoderma harzianum*, 466; on canola in Georgia, pathogen on peanut, 319; on soybean, resistance, field and laboratory, 662; on velvet leaf, new host, 863
—*S. trifoliorum*, on crimson clover, leaf clipping for control, 59
Sclerotium rolfsii
—on peanut, tebuconazole for control, 744
—on soybean, first report in Nigeria, 537
—on sunflower, in Nigeria, 750
Scott, J. W., 357, 606
Scott, S. W., 73
Seiridium unicorne, on Cupressaceae, canker, 138, (139)
Senecio cineraria, Verticillium wilt, 319
Septoria spp., on wheat, temperature and growth stage effect, 993
—*S. cucurbitacearum*, on pumpkin, first report in Illinois, 1286
—*S. tritici*, on wheat, pycnidial coverage reduction, 907
Sesbania exaltata, *Colletotrichum truncatum* on, host range and virulence, mycoherbicide use, 62
Setaria verticillata, false mildew of, occurrence in Zimbabwe, 215
Sether, D. M., 644
Shah, A. A., 537
Shane, W. W., 921
Sharpe, R. R., 803
Shattuck, V. I., 575
Shaw, C. G., 363
Shaw, M. E., 751
Shelp, B. J., 575
Sherald, J. L., 200
Sherwood, J. L., 750
Shew, H. D., 601, 889
Shishkoff, N., 499
Shohara, K., 458
Shokes, F. M., 1187
Sholberg, P. L., 616
Sibara, M., 638
Sibbett, G. S., 360
Sidhu, O. P., 748
Sijam, K., 1274
Silbernagel, M. J., 430, 537
Sills, G. R., 687
Simone, G. W., 1186
Sims, K. F., 863
Sinclair, J. B., 220, 682, 1282
Sinclair, W. A., 814, 1227
Singh, A., 184
Singh, K. B., 914
Singh, R. P., 184, 790
Singh, U. P., 1230
Sivakadadcham, B., 215
Sivasithamparam, K., 1023
Skilling, D. D., 1222
Slack, S. A., 37
Smallidge, P. J., 13
Smith, B. D., 1064
Smith, D. H., 1266
Smith, E. M., 406
Smith, F. D., 1138
Smith, G. S., 402
Smith, R. B., 121
Smith, R. R., 1153
Smith, T. J., 287
Smith, V. L., 431
Smittle, D. A., 1180
Snow, G., 1225
Snow, J. P., 809
Snyder, G. H., 729
Sobiczewski, P., 1110
Soil solarization
—metalaxyl and mycorrhizal interaction in fields, 665
—*Phytophthora* sensitivity to, survival, 1160
—Verticillium wilt of tomato, 148
Soilborne diseases, suppression, potting mixes, container media, 869, (870)
Soilborne wheat mosaic virus
—*Polymyxa graminis* incidence, in field, 1008
—on winter wheat, in New York, 1105
Sommermeyer, G., 27
Somodi, G. C., 357, 1053
Sonoda, R. M., 430
Sorghum
—anthracnose of, pathogenicity and cultural characteristics, 778, (781)
—bacterial leaf streak of, strain characterization by membrane protein analysis and DNA, 32
—ergot, new record in South Af[illegible]a, 215
—gray leaf spot, develop[illegible]. Burkina Faso, 45
—long smut of, new record in South Africa, 101
Soybean
—anthracnose, soil temperature effect, 1282, (1283)
—brown stem rot of, genotype reaction, 687
—cyst nematode of: inoculation method, 594; population density and weed competition, 1016; tillage, planting date, and yield relation, 301
—Fusarium root rot, trifluralin in predisposition, 342
—latent infection in seeds and plants, fungi, 220, (221, 223)
—peanut stripe virus on, spread and yield effect, 1157
—Phomopsis seed decay, pod test for prediction, 523
—red crown rot, glyphosate effects, 809
—Rhizoctonia damping-off, AG 2-2, 682, (683, 685)
—rust severity, development and yield, quantification, 596
—Sclerotinia stem rot of, field resistance, lab comparison, 662
—seedborne fungi and growth regulator effects, 585
—southern blight, first report in Nigeria, 537
—sudden death syndrome, cultivar response, 47
Sparace, S. A., 1175
Sphacelia sorghi, on sorghum, new record in South Africa, 215
Sphaeropsis sapinea
—on black spruce in Ontario, 644
—on pine: biology and control in South Africa, 761, (762, 764); cover photo, August; isolate types in Minnesota and Wisconsin, 507, (508); seasonal infection response in South Africa, 1031
Sphaerotheca fuliginea
—on kalanchoe, cover photo, March
—on pumpkin: cleistothecia, 1075; cover photo, October
Spinach
—anthracnose of, first report in Ontario, 101
—downy mildew of, new race 4 identified, 630
Spotts, R. A., 1204
Spradlin, T., 645
Spruce, black, *Sphaeropsis sapinea* on, 644
Squash
—silverleaf syndrome, whitefly effect, 862
—zucchini yellow mosaic virus of, cross protection for control, 208, (209)
Staley, J. M., 1286
Stall, R. E., 1053
Steffenson, B. J., 96
Stenocarpella maydis, on corn, inoculation technique for ear infection, 1057
Stevenson, W. R., 385
Still, P. E., 130
Stipes, R. J., 1138
Stobbs, L. W., 421, 430, 575
Strawberry
—anthracnose, in Connecticut, first report, 1286
—leather rot, epidemiology and control, 439, (439, 442)
—red stele disease, spore production, 475
—soil fumigation effect on black root rot, 416
Streptomyces acidiscabies, hosts for, first report, 750
Striga spp., seed populations in Nigeria, 494
Stutz, J. C., 736
Stylosanthes spp., potyviruses of, natural infection, 1090, (1091, 1092)
Subrahmanyam, P., 1266
Sugar, D., 212
Sugar beet
—*Fusarium* pathogenic to, variations in isolates, 486
—storage rot, 751
Sugarcane, ratoon stunting disease, distribution

in Louisiana, 568
Suheri, H., 1013
Sumner, D. R., 319, 878, 1180
Sunflower
—basal stem rot and wilt, in Nigeria, 750
—diseases in California, 572
—Phoma black stem, yield loss, 1150
Sutton, J. C., 1101
Sutton, T. B., 1045, 1146
Swart, J., 1031
Swart, W. J., 761
Sweeney, M. J., 447
Sweet potato
—chlorotic leaf distortion, in North Carolina, 750
—cucumber mosaic virus of, whitefly role, 291
Sweet potato feathery mottle virus, occurrence in Ontario, 430
Syringa spp., mycoplasmalike organisms on, 1227

Tachibana, H. 196
Takahashi, Y., 458
Tanimonure, O. A., 494
Tavares Nogueira, M. F. R.., 215
Taxus brevifolia, *Phytophthora lateralis* on, first report, 968
Taylor, N. L., 156
Teaching, disease diagnosis using computers, 320
Teakle, D. S., 450
Teng, P. S., 1187
Teviotdale, B. L., 360, 1026
Teyker, R. H., 143
Thakur, R. P., 1217
Thanassoulopoulos, C. C., 101
Theron, D. J., 126
Thielaviopsis basicola
—on burley tobacco, partial resistance inheritance, 889
—on citrus, peat as inoculum source, 1246
—on tobacco, factors affecting, 601
Thies, K. L., 634
Thomas, C. E., 938
Thomas, M. D., 45
Thompson, C. M., 145
Thomson, T. W., 431
Tidwell, T. E., 644, 863, 1075
Tilmon, H. D., 1077
Timmer, L. W., 192, 296, 532
Timmer, N. H., 1246
Tisserat, N. A., 138
Tjamos, E. C., 557
Tkacz, B. M., 788
Tobacco
—bacterial wilt, rotations and resistance effects, 695
—black root rot of: factors affecting, 601; resistance inheritance, 889
—black shank of, crop losses, 390
—cyst nematode in North Carolina, 1074
—Rhizoctonia leaf spot, epidemic in Georgia, 1186
—tomato spotted wilt virus of, epidemic in Georgia, 483, (484)
—viroid etiology, new disease, 1068, (1069, 1070)
Tobacco streak virus
—on asparagus, in Ontario, 430
—on legume germ plasm, epidemiology and seed transmission, 258, (260)
—on tobacco, transmission by thrips and pollen, 450
Todd, J. W., 863
Todt, P. E., 342
Tofte, J. E., 1153
Toler, J. E., 590
Tolyposporium ehrenbergii, on sorghum, new record in South Africa, 101
Tomato
—bacterial soft rot of fruits, resistance to infiltration, 152
—bacterial speck, epiphytic survival on transplants, 672
—bacterial spot of: copper- and streptomycin-resistant strains, 733; epiphytic populations and resistance, 606; genotype reaction, 357
—black leaf mold: cover photo, October; pathogenicity, 1060, (1061)
—collar rot and early blight, *Alternaria* chlamydospore importance, 274, (276)
—cucumber mosaic virus: of, cover photo, January; on, satellite-mediated protection, 86, (88, 90), 93, (93-95)
—early blight, control by sporulation inhibition with vinyl film, 795
—Fusarium wilt of, race 3 resistance, 281
—seed treatment, for bacterial infection, 383
—sweetpotato whitefly-vectored geminivirus, 1186
—transplants, *Clavibacter* detection in symptomless plants, 834
—Verticillium wilt, solarization soil treatment, 148
Tomato ringspot virus, on *Trifolium ambiguum*, 73, (76)
Tomato spotted wilt virus
—on cactus, 215
—first report in Oklahoma, 750
—in *Impatiens*, detection by tissue blotting, 292
—on peanut: first report in Virginia, 431; foliar chlorosis, 863
—pepper resistance in, 863
—on peppermint: cover photo, June; first report, 644
—on petunia as indicator plant, monitor for thrips, 78
—on tobacco, epidemic in Georgia, 483, (484)
Tomato yellow leaf curl virus, resistance to, viral DNA and symptom development, 279
Toth, K. F., 1034
Toth, S. J., Jr., 1077
Tousignant, M. E., 93, 86
Trapero-Casas, A., 914
Trapero-Casas, J. L., 914
Travis, J. W., 968
Trichoderma harzianum, biocontrol agent for *Sclerotinia sclerotiorum*, 466
Tschanz, A. T., 596
Tsuchizaki, T., 458, 1249
Turfgrass
—dollar spot of, biocontrol with *Enterobacter*, 510
—ergot and blind seed diseases, spatial pattern in Oregon, 1172
—fungicide effect on disease incidence and severity, 1064, (1065)
—*Gaeumannomyces* on, root rot fungi, in Florida, 238, (240)
—Pythium blight epidemics, early detection, antibody-aided monitoring, 921
Turner, J. T., 347
Turnip mosaic virus, on rutabaga roots, factors and storability, 575, (576)
Tylenchulus semipenetrans, on citrus, aldicarb effect, 1233

Uddin, W., 51
Ullman, D. E., 367, 859
Ulocladium cucurbitae, on cucumber, first report in California, 863
Uncinula necator
—on grape, dsRNA detection in cleistothecia and conidia, 964
—sporulation, fungicide and water effect, 455
Uredo artocarpi, on breadfruit, in Hawaii, 968
Uromyces appendiculatus, on *Macroptilium*, pathotype variability, 430
Ustilago esculenta, on wild rice, in California, 1075
Utkhede, R. S., 406

Vakalounakis, D. J., 795
Vallejos, C. E., 281
Valverde, R. A., 431, 1183
van Bruggen, A. H. C., 320, 954
Van Eeckhout, E., 1254
Van Schagen, J. G., 421
Veitenheimer, E. E., 1186
Velasco, A. C., 1090
Venturia spp.
—*V. inaequalis*: on apple, ascospore efficiency in lesion production, 918, (919); benomyl-resistant isolates of, phenotype patterns in British Columbia, 616; sterol demethylation inhibitors of, sensitivity, 726
—*V. pirina*, on pear, temperature and moisture effect, pre- and post-harvest, 1204
Vernon, P. R., 380
Verticillium spp.
—*V. albo-atrum*: on alfalfa, resistance, comparison, 82; on eggplant, cover photo, June
—*V. dahliae*: cover photo, March; on dusty-miller, 319; on eggplant, plastic mulch and nitrogen side-dressing, 1164; on olive, soil solarization application, 557; on protea, 1074; on tomato, solarization for control, 148
Vesper, S. G., 1075
Vicchi, V., 862
Vicia faba, Ascochyta blight of, resistance and races, 852
Vidaver, A. K., 952
Villani, A., 862
Viroid, on *Coleus* seeds, transmission, 184
Viruses
—on grain legumes, epidemic in Washington, 1186
—on pepper, incidence and distribution in California, 1019
Vivoda, E., 519
Voandzeia subterranea, peanut mottle virus on seeds of, 130
Voloudakis, A. E., 672, 834
von Broembsen, S. L., 750
Vovlas, C., 93

Wachtel, M. F., 40
Wainshilbaum, S. J., 993
Wakeman, R. J., 1160
Walker, S. E., 968
Wall, G. C., 1286
Walnut, English, bark canker disease, budwood transmission, 360
Wang, H.L., 203
Wang, T. C., 596, 751, 1060
Watermelon
—anthracnose of, in California, 644
—bacterial fruit blotch, in Florida, 1053
—fruit blotch, first report in Delaware, 1074
—Fusarium wilt, resistance induced, 874
Watermelon mosaic virus 2, on cucurbits, in Hawaii, 367
Watson, A. K., 1175
Watson, T., 1075
Watterson, J. C., 1053
Webster, R. K., 96
Wehner, F. C., 1233
Weicht, T. R., 320
Weingartner, D. P., 269
Weinhold, A. R., 416
Wells, J. M., 180
Welty, R. E., 883, 1004
West, K-L. D., 43
Westbrook, J. K., 672
Wheat (see also Cereals)
—cultivar performance and disease impact, in Morocco, 65
—dry seed decay, control, 957
—durum, stem rust resistance in, 563
—leaf and glume blotch, temperature and growth stage effect, 993
—leaf rust: film-forming, effect, 231, (233); resistance using *Lr34* gene, 526
—leaf and stem rust, pathogenicity variations in Mexico, 790
—Rhizoctonia root rot, temperature and fungicide effect, 983
—Septoria tritici blotch, pycnidial coverage reduction, 907
—take-all, rotation effect, 1050
—tan spot: ascospore maturation and moisture, 1101; chlorosis and necrosis responses, isolates, 121; cover photo, February
—viruses of, in New York, 1105
Wheat spindle streak mosaic virus
—on wheat, cover photo, November

—on winter wheat, in New York, 1105
Wheat streak mosaic virus, on winter wheat, in New York, 1105
White clover (see also Clover)
—black spot, outbreak in North Carolina, 537
—peanut stunt virus of, hybrid populations, 156
White, J. B., 751
White, J. F., Jr., 537
Whittington, D. P., 1074, 1186
Wicklow, D. T., 712
Wicks, T. J., 40
Wiese, M. V., 904
Wilkinson, C. A., 889
Willet, M. J., 287
Williams, D. D. F., 859
Williams, P. H., 1279
Williamson, P. M., 1023
Wilson, A. D., 169, 215
Wilson, J. P., 807
Wilson, L. L., 439
Windes, J. M., 430
Wingfield, M. J., 761, 1031
Wipf-Scheibel, C., 208
Wolyn, D. J., 430
Wood, D. L., 676
Woods, D. M., 572
Wu, S. F., 1186
Wyatt, J. E., 715
Wyatt, S. D., 258
Wymore, L. A., 1175
Wysong, D. S., 497

Xanthomonas spp.
—*X. campestris*: on begonia, dissemination and transmission, 1261; on citrus, Florida, research perspectives, 1193; on citrus, leaf spot and exudation, 192; on citrus, strain variation, 622; on dry bean, longevity in debris, 952; isolation medium, semiselective, 1274; on *Leersia hexandra* in Texas, 159; on pepper and tomato, copper- and streptomycin-resistant strains, 733; on rice, plant age and leaf maturity effect, 901; on rice, resistance and leaf expansion rate, 897; on sorghum, strain characterization, using gel electrophoresis, and analysis of DNA, 32; on tomato, epiphytic populations, 606; on tomato, genotype reaction, 357; race 18, on cotton in Australia, 43
—*X. citri*, on citrus, research perspectives, 1193
Xu, G.-W., 159
Xu, Z., 723
Xue, G., 934
Xylella fastidiosa
—on citrus, seasonal occurrence, 145
—detection with ELISA test kit, 200
—on oak, in Kentucky, 862
—in peach and plum rootstock xylem, concentration, 767

Yadava, U. L., 847
Yamashita, S., 1249
Yang, S.-M., 1201
Yang, X. B., 976
Ykema, R. E., 736
Yorston, J. M., 616
Youmans, J., 645
Yourman, L., 490
Yuen, G. Y., 416
Yuen, J. E., 10

Zakay, Y., 279
Zamir, D., 279
Zehr, E. I., 590, 803
Zeidan, M., 279
Zekaria-Oren, J., 231
Zelikovitch, N., 907
Zettler, F. W., 130, 1090
Zhang, Z., 723
Zhao, G. S., 251
Zink, F. W., 24
Zitko, S. E., 192, 532
Ziv, O., 231
Zizania latifolia, smut of, in California, 1075
Zreik, L., 546
Zucchini yellow mosaic virus
—on cucumber, melon, and squash, cross protection, 203, (206)
—on cucurbits, in Hawaii, 367
—on squash, control by cross protection, 208, (209)
Zummo, N., 910
Zygophiala jamaicensis, on apple fruit, chlorine dip for, 742